



Power Play Products
Tower of Power & Pinnacle Series of Surge Protectors

Wall Taps

Surge Protectors

Home Theatre System

NOTES



Electronics



Audio Surge Indicator



Child Safety



Visual Surge Indicator



RJ-45 Network Protection



Surge Protection



RJ-11 Fax/Phone Protection



EMI/RFI Noise Filter




Coax Protection



LED Indicator



Electrical Outlet



Heavy Duty Cord w/ Molded Plug



F Plug to F Plug Coaxial Cable



Master ON/OFF Switch



Phone Wire



Individual Outlet ON/OFF Switch



Right Angle Plug



CONTENTS

WALL TAPS..... 2-3

- single outlet
- 3-outlets
- 6-outlets & side mounts

MINI SURGE PROTECTORS4

- 6-outlets

FULL SIZE PLASTIC/METAL SURGE PROTECTORS5

- 6-outlets

PINNACLE SURGE PROTECTORS..... 6-7

- 6-outlets
- 7-outlets
- 8-outlets

DAYLITE SURGE PROTECTORS 8-9

- 6-outlets

HOME THEATRE POWER CENTER 10

- 10-outlets

COMBO PACK 5-1 11

UPC NUMBERS & SPECIFICATIONS 12-15

Trans USA Products, Inc.
101 Bank Street
Hightstown, NJ U.S.A.

Tel: 609-918-0033
Fax: 609-918-0666
Email: TUSANJ@aol.com

www.transusaproducts.com

Single Outlet Wall Taps

PP-11110T

- 90 Joules Surge Protector
- LED Indicator



PP-11310T

- 180 Joules Surge Protector
- LED Indicator
- EMI/RFI



PP-11310F

- 180 Joules Surge Protector
- LED Indicator
- EMI/RFI
- Fax/Phone Protection



YES X 1
 90 JOULES X 1

YES X 1
 270 JOULES X 1
 YES

YES YES
 1 IN 1 OUT X 1
 270 JOULES X 1

3-Outlet Wall Taps

PP-13000TT (Tan) PP-13000TW (White)

Color: Tan / White



X 3


PP-13110TT (Tan) PP-13110TW (White)

- 90 Joules Surge Protector
- LED Indicator

Color: Tan / White



YES X 1
 90 JOULES X 3



6-Outlet Wall Taps

PP-16000T (Tan)
PP-16000TW (White)

Color: Tan / White



PP-16110T

- 90 Joules Surge Protector
- LED Indicator



YES



X 1



90 JOULES



X 6

PP-16310F

- 270 Joules Surge Protector
- LED Indicator
- EMI/RFI
- Fax/Phone Protection



YES



YES



1 IN 1 OUT



X 2



270 JOULES



X 6

6-Outlet Side Mount Wall Taps

PP-16310T

- 90 Joules Surge Protector
- LED Indicator
- EMI/RFI



YES



X 1



90 JOULES



X 6



YES

PP-16110TSM

- 180 Joules Surge Protector
- LED Indicator



YES



X 1



90 JOULES



X 6

PP-16310TSM

- 420 Joules Surge Protector
- LED Indicator
- EMI/RFI



YES



X 1



270 JOULES



X 6



YES



Audio Surge Indicator



Visual Surge Indicator



Surge Protection



EM/RFI Noise Filter



LED Indicator



Heavy Duty Cord w/ Molded Plug



Master ON/OFF Switch



Individual Outlet ON/OFF Switch



Right Angle Plug

6-Outlet Surge Protectors

PP-16003MS (Sleeve)
 • 15 AMP Circuit Breaker



- LOW-END
- X 6
- YES
- YES

PP-16103M (Box)
PP-16103MS/MSBK (Sleeve)
PP-16103MSTP (Sleeve, twin pack)
 • 15 AMP Circuit Breaker
 • 90 Joules Surge Protector



- ENTRY LEVEL
- 90 JOULES
- X 6
- YES
- YES

PP-16106MS (Sleeve)
 • 15 AMP Circuit Breaker
 • 180 Joules Surge Protector



- ENTRY LEVEL
- 90 JOULES
- X 6
- 6 FT. CORD
- YES

PP-16103MBD (Translucent Blue)
PP-16103MGD (Translucent Green)
PP-16103MPD (Translucent Purple)
 • 15 AMP Circuit Breaker
 • 750 Joules Surge Protector
 • EMI/RFI
Color: Translucent Blue/Green/Purple



- SMALL APPLIANCES
- X 6
- YES
- YES
- 270 JOULES
- YES
- X 1
- YES

PP-16103M-12
 • 15 AMP Circuit Breaker
 • 180 Joules Surge Protector
 • 12 ft. Cord
PP-16103M-12BK (Black)



- ENTRY LEVEL
- 90 JOULES
- X 6
- 12 FT. CORD
- YES

PP-16413M
 • 15 AMP Circuit Breaker
 • 750 Joules Surge Protector
 • LED Surge Indicator
 • EMI/RFI
 • \$ 25,000 Equipment Insurance



- MIDRANGE
- X 1
- YES
- X 6
- 750 JOULES
- YES
- YES
- YES

MINI POWER STRIPS & SURGE PROTECTORS



Full Size 6-Outlet Surge Protectors

PP-16115
 15 AMP Circuit Breaker
 180 Joules Surge Protector
 Right Angle Plug



- ENTRY LEVEL
- 90 JOULES
- X 6
- YES
- YES
- YES

PP-16315
 15 AMP Circuit Breaker
 1200 Joules Surge Protector
 2 LED Indicators
 EMI/RFI
 Right Angle Plug



- YES
- SMALL APPLIANCES
- YES
- 1200 JOULES
- YES
- X 2
- X 6
- YES
- YES

PP-16315-15
 15 AMP Circuit Breaker
 1200 Joules Surge Protector
 LED Indicator
 EMI/RFI
 Right Angle Plug
 15 ft. Cord



- YES
- SMALL APPLIANCES
- YES
- 1200 JOULES
- YES
- X 1
- X 6
- 15 FT. CORD
- YES

Metal Case 6-Outlet Surge Protectors

PP-26114 (6 ft.) / 26114S (3 ft.)
 15 AMP Circuit Breaker
 90 Joules Surge Protector
 Metal Case



- ENTRY LEVEL
- 90 JOULES
- X 6
- YES
- YES

PP-26315
 15 AMP Circuit Breaker
 540 Joules Surge Protector
 LED Indicator
 EMI/RFI
 Lighted Rocker Switch
 Metal Case











- SMALL APPLIANCES
- YES
- 540 JOULES
- YES
- X 1
- X 6
- 5 FT. CORD
- YES


FULL SIZE PLASTIC/METAL SURGE PROTECTORS



Right Angle Plug






6-Outlet Pinnacle Surge Protectors

-  SMALL APPLIANCES
-  YES
-  1 IN 1 OUT
-  540 JOULES
-  YES
-  X 2
-  X 6
-  YES
-  LIGHTED SWITCH
-  YES













PP-16325F
 15 AMP Circuit Breaker
 1200 Joules Surge Protector
 LED Indicator
 EMI/RFI
 Fax/Phone Protection
 Lighted Rocker Switch
 Slide Lock Outlets
 Child Safety
 Right Angle Plug
 100% Equipment Insurance

7-Outlet Pinnacle Surge Protectors






-  MIDRANGE
-  YES
-  1200 JOULES
-  YES
-  X 2
-  X 7
-  YES
-  LIGHTED SWITCH



PP-17636
 Outlet for large adapter
 15 AMP Circuit Breaker
 1200 Joules Surge Protector
 LED Indicator
 EMI/RFI
 Lighted Rocker Switch
 Right Angle Plug
 \$ 50,000 Equipment Insurance

-  MID - HIGH RANGE
-  YES
-  1 IN 2 OUT
-  2400 JOULES
-  YES
-  X 2
-  X 7
-  YES
-  LIGHTED SWITCH
-  YES




-  MID - HIGH RANGE
-  YES
-  1 IN 2 OUT
-  2400 JOULES
-  YES
-  1 IN 1 OUT
-  X 2
-  X 7



PP-17936HAVF
 Outlet for large adapter
 15 AMP Circuit Breaker
 2400 Joules Surge Protector
 LED Indicator
 Fax/Phone Protection
 Coax Protection
 Lighted Rocker Switch
 Right Angle Plug
 \$ 50,000 Equipment Insurance

-  Electronics
-  Child Safety
-  RJ-45 Network Protection
-  RJ-11 Fax/Phone Protection
-  Coax Protection
-  Electrical Outlet
-  F Plug to F Plug Coaxial Cable
-  Phone Wire

7-Outlet Pinnacle Surge Protectors




PP-17M2A-15B (Black)
PP-17M2A-15C (Silver)
 3 Outlets for large adapters
 15 AMP Circuit Breaker
 2120 Joules Surge Protector
 LED Indicator
 EMI/RFI
 Fax/Phone Protection
 Coax Protection
 Lighted Rocker Switch
 Audio/Visual Surge Indicator
 Child Safety
 100% Equipment Insurance

Color: Black / Silver

8-Outlet Pinnacle Surge Protectors



PP-18116B
PP-18116W
 3 Outlets for large adapters
 15 AMP Circuit Breaker
 180 Joules Basic Surge Protector
 Right Angle Plug
 100% Equipment Insurance
 6ft Cord



PP-18926DSSB
PP-18926DSSW
 3 Outlets for large adapters
 15 AMP Circuit Breaker
 3200 Joules Surge Protector
 LED Indicator
 EMI/RFI
 Fax/Phone Protection
 Coax Protection
 Lighted Rocker Switch
 Right Angle Plug
 100% Equipment Insurance



Audio Surge Indicator



Visual Surge Indicator



Surge Protection



EM/RFI Noise Filter



LED Indicator



Heavy Duty Cord w/ Molded Plug



Master ON/OFF Switch



Individual Outlet ON/OFF Switch



Right Angle Plug



This "DAYLITE" Surge Protector has been designed to cure a problem that has been with this product since it was invented 33 years ago. The famous words are "I CAN'T SEE BEHIND THE COUCH, DO YOU HAVE A FLASHLIGHT?" **No more flashlights!** This Surge Protector brings you the best in protection for your electronics and also the convenience of light when you need it!

6-Outlet 400 Joules Daylite™ Surge Protectors with \$25,000 Equipment Insurance Warranty

400 JOULES



- PP-56113DG-B** (3ft. cord, Green Light Black Case)
- PP-56113DG-W** (3ft. cord, Green Light White Case)
- PP-56116DG-B** (6ft. cord, Green Light Black Case)
- PP-56116DG-W** (6ft. cord, Green Light White Case)

SPECIFICATIONS:


TVSS	L-N
Electrical Rating	125V AC, 15 Amps (1,875 Watts), 60Hz
Max Surge Voltage	6000V
Max Surge Dissipation	400 Joules
Max Spike Current	12500 Amps, 25°C
Max Clamping Ratio	1.2 : 1
Clamping Voltage	330 Volts
Clamping Response Time	Less than 1 nanoseconds
Temperature Range	-40°C to +80°C

6-Outlet Daylite™ Power Strip

- PP-56013DR-G** (3ft. cord, Red Light Green Case)

SPECIFICATIONS:

Electrical Rating	125V AC, 15 Amps (1,875 Watts), 60Hz
Temperature Range	-40°C to +80°C



6-Outlet 1200 Joules Daylite™ Surge Protectors with \$100,000 Equipment Insurance Warranty

1200 JOULES



- MIDRANGE
- YES
- 1200 JOULES
- 3db
- 1
- X 6
- 3 FT. / 6 FT. CORD
- YES

- PP-56233DR-B** (3ft. cord, Red Light Black Case)
- PP-56233DR-W** (3ft. cord, Red Light White Case)
- PP-56236DR-B** (6ft. cord, Red Light Black Case)
- PP-56236DR-W** (6ft. cord, Red Light White Case)

SPECIFICATIONS:

TVSS	L-N, L-G, N-G
EMI/RFI	3db
Electrical Rating	125V AC, 15 Amps (1,875 Watts), 60Hz
Max Surge Voltage	6000V
Max Surge Dissipation	1200 Joules
Max Spike Current	12500 Amps, 25°C
Max Clamping Ratio	1.2 : 1
Clamping Voltage	330 Volts
Clamping Response Time	Less than 1 nanoseconds
Temperature Range	-40°C to +80°C



6-Outlet 3200 Joules Daylite™ Surge Protectors with \$250,000 Equipment Insurance Warranty

3200 JOULES



- HIGH-END
- YES
- 3200 JOULES
- 3db
- 1
- X 6
- 6 FT. CORD
- YES

- PP-56386DB-B** (6ft. cord, Blue Light Black Case)
- PP-56386DB-W** (6ft. cord, Blue Light White Case)

SPECIFICATIONS:

TVSS	L-N, L-G, N-G
EMI/RFI	3db
Electrical Rating	125V AC, 15 Amps (1,875 Watts), 60Hz
Max Surge Voltage	6000V
Max Surge Dissipation	3200 Joules
Max Spike Current	12500 Amps, 25°C
Max Clamping Ratio	1.2 : 1
Clamping Voltage	330 Volts
Clamping Response Time	Less than 1 nanoseconds
Temperature Range	-40°C to +80°C



DAYLITE POWER STRIPS & SURGE PROTECTORS



Appearances and specifications of the products subject to change without prior notice.

Rack Mountable Tower of Power

HOME THEATRE
POWER CENTER



UNLIMITED EQUIPMENT INSURANCE WARRANTY

See our warranty policy for detail

-  HIGH-END
-  YES
-  1 IN 2 OUT
-  1 IN 1 OUT
-  9250
JOULES
-  68DB
-  3 IN 3 OUT
-  YES
-  6FT. RG-6
CABLE X 2
-  10 FT. WIRE
X2
-  X 10
-  SJT 14 AWG
-  YES
-  X 10

- Rack mountable / Tower
- Protect high-end music equipment
- For Home Theatre System, Computer System, Audio/Video System and etc.....
- Pinnacle Power provides unbeatable "Power Conditioning"!
- LED voltage meter
- 9 ft. heavy duty power cord
- RJ-45 for network protection (6 ft. Ethernet cable included)
- Dual RJ-11 jacks to protect TEL, FAX and MODEM lines (two 10 ft. telephone line cords included)
- Triple coax protection for LCD, Plasma, Cable Boxes (two 6 ft. RG-6U cables included)
- 10 individually controlled power outlets
- Master ON/OFF button
- 15 AMP circuit breaker
- Auto-Power Safety Shutdown
- **9250 Joules**



R A C K M O U N T A B L E

TOWER of POWER



Electronics



Child Safety



RJ-45 Network Protection



RJ-11 Fax/Phone Protection



Coax Protection



Electrical Outlet



F Plug to F Plug Coaxial Cable



Phone Wire

5 IN 1 VALUE PACK

All Products are UL Listed



- Night Light
- 3-Outlet Wall Tap
- 6-Outlet Wall Tap
- 6-Outlet Surge Protector
- 3-Outlet 6ft. Household Extension Cord

COMBO PACK 5-1

Models Featured:

PP-13000TW - 3-Outlet Wall Tap

PP-16000TW - 6-Outlet Wall Tap

PP-16103MS - 6-Outlet Surge Protector

PCC-03415 - Night Light

PCC-24706 - 6' Household Extension Cord.



Note:

Comes in a display box of 6 Value Packs. Master case contains 2 display boxes with a total of 12 value packs



Audio Surge Indicator



Visual Surge Indicator



Surge Protection



EM/RFI Noise Filter



LED Indicator



Heavy Duty Cord w/ Molded Plug



Master ON/OFF Switch



Individual Outlet ON/OFF Switch



Right Angle Plug

UPC NUMBERS & SPECIFICATIONS

Appearances and specifications of the products subject to change without prior notice.

PART #	UPC	# of Receipts	# of Joules	EMI/RFI	Fax/Phone Protection	Coax Protection	Surge Indicator	# of Lighted Rocker Switch	# of Push-Button Switches	Master ON/OFF Switch	LED Light	15 AMP Circuit Breaker	Case	Packaging	Case Pack	Equipment Insurance	PAGE	Cord Length
PP-11110T	782867-11001-5	1	90				Visual				†		Plastic	Blister	48		2	
PP-111310F	782867-11003-9	1	270	†	†		Visual				†		Plastic	Blister	48		2	
PP-111310T	782867-11002-2	1	270	†			Visual				†		Plastic	Blister	48		2	
PP-13000TT	782867-11058-9	3											Plastic	Blister	100		2	
PP-13000TW	782867-11059-6	3											Plastic	Blister	100		2	
PP-13110TT	782867-11061-9	3	90				Visual				†		Plastic	Blister	48		2	
PP-13110TW	782867-11060-2	3	90				Visual				†		Plastic	Blister	48		2	
PP-16000T	782867-11022-0	6											Plastic	Blister	60		3	
PP-16000TW	782867-11064-0	6											Plastic	Blister	60		3	
PP-16003MS	782867-11094-7	6								†		†	Plastic	Sleeve	24		4	2.5 ft. Cord
PP-16103M	782867-11005-3	6	90							†		†	Plastic	Box	20		4	2.5 ft. Cord
PP-16103M-12	782867-11073-2	6	180							†		†	Plastic	Box/Clam Shell	20		4	12 ft. cord
PP-16103MBD	782867-11070-1	6	750				Visual			†		†	Plastic	Box	24		4	2.5 ft. Cord
PP-16103MGD	782867-11071-8	6	750				Visual			†		†	Plastic	Box	24		4	2.5 ft. Cord

All products shown are UL listed except where noted otherwise

All products shown are UL listed except where noted otherwise

PART #	UPC	# of Receipt acle	# of Joules	EMI / RFI	Fax/Phone Protection	Coax Protection	Surge Indicator	# of Lighted Rocker Switch	# of Push-Button Switches	Master ON/OFF Switch	LED Light	15 AMP Circuit Breaker	Case	Packaging	Case Pack	Equipment Insurance	PAGE	Cord Length
PP-16103MPD	782867-11072-5	6	750				Visual			†		†	Plastic	Box	24		4	2.5 ft. Cord
PP-16103MS	782867-11092-3	6	90							†		†	Plastic	Sleeve	24		4	2.5 ft. Cord
PP-16103MSBK	782867-11123-4	6	90							†		†	Plastic	Sleeve	12			2.5 ft. Cord
PP-16103MSTP	782867-11099-2	6	90							†		†	Plastic	Twin Pack Sleeve	24		4	2.5 ft. Cord
PP-16103MS-XMAS	782867-11110-4	6	90							†			Plastic	Box	20			
PP-16110T	782867-11004-6	6	90				Visual				†		Plastic	Blister	60		3	
PP-16110TSM	782867-11040-4	6	180				Visual				†		Plastic	Blister	60		3	
PP-16310F	782867-11098-5	6	270	†	†		Visual				†		Plastic	Blister	60		3	
PP-16310T	782867-11007-7	6	90	†			Visual				†		Plastic	Blister	60		3	
PP-16310TSM	782867-11041-1	6	270	†			Visual				†		Plastic	Blister	60		3	
PP-16115	782867-11010-7	6	180							†		†	Plastic	Box	20		5	5 ft. Cord
PP-16315	782867-11011-4	6	1200	†			Visual			†	†	†	Plastic	Clam shell	20		5	5 ft. Cord
PP-16315-15	782867-11045-9	6	1200	†						†		†	Plastic	Box	20		5	15 ft. Cord
PP-16325-F	782867-11029-9	6	540	†	†		Visual	†		†	†	†	Plastic	Clam shell	20		6	3 ft. Cord

Appearances and specifications of the products subject to change without prior notice.

UPC NUMBERS & SPECIFICATIONS

UPC NUMBERS & SPECIFICATIONS

Appearances and specifications of the products subject to change without prior notice.

PART #	UPC	# of Receptacle	# of Joules	EMI/RFI	Fax/Phone Protection	Coax Protection	Surge Indicator	Lighted Rocker Switch	# of Push-Button Switches	Master ON/OFF Switch	LED Light	15 AMP Circuit Breaker	Case	Packaging	Case Pack	Equipment Insurance	PAGE	Cord Length
PP-16413MI	782867-11093-0	6	750	†			Visual			†	†	†	Plastic	Box	20	\$25,000	4	2.5 ft. Cord
PP-17636	782867-11085-5	7	1200	†			Visual	†		†	†	†	Plastic	Clam Shell	20	\$50,000	6	6 ft. Cord
PP-17936HAVF	782867-11109-8	7	2400	†	†	†	Visual	†		†	†	†	Plastic	Clam Shell	20	\$50,000	6	6 ft. Cord
PP-17936HF	782867-11101-2	7	2400	†	†		Visual	†		†	†	†	Plastic	Clam Shell	20	100%	6	6 ft. Cord
PP-17M2A-15B	782867-11086-2	7	2120	†	†	†	Visual/Audio	†		†	†	†	Plastic	Clam Shell	12	100%	7	15 ft. cord
PP-17M2A-15C	782867-11088-6	7	2120	†	†	†	Visual/Audio	†		†	†	†	Plastic	Clam Shell	12	100%	7	15 ft. cord
PP-18116W	782867-18117-6	8	180							†			Plastic	Clam Shell	20	100%	7	6 ft. Cord
PP18116B	782867-18116-9	8	180							†			Plastic	Clam Shell	20	100%	7	6 ft. Cord
PP-16103M-12BK	782867-11073-2	6	180							†			Plastic	Clam Shell	20		4	12 ft. Cord
PP-26114 / PP-26114S	782867-11012-1	6	90							†			Metal	Box	20		5	3 ft./6 ft. cord
PP-26315	782867-11013-8	6	540	†			Visual	†		†	†		Metal	Box	20		5	5 ft. cord
PP-52819HTC	782867-11117-3	10	9250	†	†	†	Visual		†	†	†		Metal	Box		Unlimited	11	9 ft. cord
PP-56013DR-G	782867-11118-0	6					Visual			†			Plastic	Clam shell	6		8	3 ft. cord
PP-56113DG-B	782867-11119-7	6	400				Visual			†	†	†	Plastic	Clam shell	6	\$25,000	8	3 ft. cord

All products shown are UL listed except where noted otherwise

All products shown are UL listed except where noted otherwise

PART #	UPC	# of Receptacle	# of Joules	EMI / RFI	Fax/Phone Protection	Coax Protection	Surge Indicator	Lighted Rocker Switch	Push-Button Switches	Master ON/OFF Switch	LED Light	15 AMP Circuit Breaker	Case	Packaging	Case Pack	Equipment Insurance	PAGE	Cord Length
PP-56113DG-W	782867-11120-3	6	400				Visual			†	†	†	Plastic	Clam Shell	6	\$25,000	8	3 ft. cord
PP-56116DG-B	782867-11111-1	6	400				Visual			†	†	†	Plastic	Clam Shell	6	\$25,000	8	6 ft. cord
PP-56116DG-W	782867-11112-8	6	400				Visual			†	†	†	Plastic	Clam Shell	6	\$25,000	8	6 ft. cord
PP-56233DR-B	782867-11121-0	6	1200	†			Visual			†	†	†	Plastic	Clam Shell	6	\$100,000	9	3 ft. cord
PP-56233DR-W	782867-11122-7	6	1200	†			Visual			†	†	†	Plastic	Clam Shell	6	\$100,000	9	3 ft. cord
PP-56236DR-B	782867-11113-5	6	1200	†			Visual			†	†	†	Plastic	Clam Shell	6	\$100,000	9	6 ft. cord
PP-56236DR-W	782867-11114-2	6	1200	†			Visual			†	†	†	Plastic	Clam Shell	6	\$100,000	9	6 ft. cord
PP-56386DB-B	782867-11115-9	6	3200	†			Visual			†	†	†	Plastic	Box/Clam Shell	6	\$250,000	9	6 ft. cord
PP-56386DB-W	782867-11116-6	6	3200	†			Visual			†	†	†	Plastic	Box/Clam Shell	6	\$250,000	9	6 ft. cord
PP-5-1	782867-11100-5																11	
PP-16106MS	782867-16106-2	6	180							†		†	Plastic	Sleeve	20		4	6 ft. cord

Appearances and specifications of the products subject to change without prior notice.

UPC NUMBERS & SPECIFICATIONS



Trans USA Products, Inc.

101 Bank Street, Hightstown, NJ 08520

Tel: 609.918.0033 Fax: 609.918.0666 Email: TUSANJ@aol.com

